



DESIGN STANDARDS FOR: ELECTRIC HEATING EQUIPMENT


In-Wall Fan Heater Standard:

1. King model #KBP2406 240V manufactured by King Electric Mfg Company.
2. Note: An approved equal will not be accepted. Sole source justification is based on bulk parts on hand; ease on maintenance time, availability, and vandal resistance.




KING ELECTRIC MFG. CO. • 9131 10TH AVENUE SOUTH • SEATTLE, WA 98108 • PH: 206.762.0400 • FAX: 206.763.7738 • www.king-electric.com

DUAL WATTAGE IN-WALL FAN HEATERS




BETTER
WHF SERIES
2 YEAR WARRANTY

MODEL:	VOLTS:	WATTAGE:
WHF1210	120	500 or 1000
WHF1212	120	600 or 1200
WHF1215	120	750 or 1500
WHF2410	240	500 or 1000
WHF2415	240	750 or 1500
WHF2420	240	1000 or 2000
WHF2424	240	1200 or 2400




Optional Thermostat
WHT-1 or WHT-2


GOOD
W SERIES
1 YEAR WARRANTY



MODEL:	VOLTS:	WATTAGE:
W1210	120	500 or 1000
W1212	120	600 or 1200
W1215	120	750 or 1500
W2410	240	500 or 1000
W2415	240	750 or 1500
W2420	240	1000 or 2000
W2424	240	1200 or 2400




GARAGE/SHOP HEATERS




KBP SERIES

FLOOR STANDING



Includes Thermostat and OFF/FAN/HEAT Switch

RECEPTACLE CONFIGURATIONS
NEEDED FOR CORD SET WHEN USED:






30 AMP, 120 Volt
NEMA #5-30P
MODEL KBP-K1



30 AMP, 120 Volt
NEMA #6-30P
MODEL KBP-K2

MODEL:	VOLTS:	WATTAGE:
KBP1230	120	950•1900•2850
KBP2406	240	950•1900•2850 3800•4750•5700
KBP-K1	120V, 1 Phase, 30 AMP, 6ft Cord/Handle Kit	
KBP-K2	240V, 1 Phase, 30 AMP, 6ft Cord/Handle Kit	

BASEBOARD HEATERS



MODEL:	VOLTS:	WATTAGE:	FT.
2K1205	120	500	27"
3K1207	120	750	3ft
4K1210	120	1000	4ft
5K1212	120	1250	5ft
6K1215	120	1500	6ft
2K2405	240	500	27"
3K2407	240	750	3ft
4K2410	240	1000	4ft
5K2412	240	1250	5ft
6K2415	240	1500	6ft
7K2418	240	1750	7ft
8K2420	240	2000	8ft
10K2425	240	2500	10ft

Add Suffix (A) for Almond or (BW) for Bright White finish.

END OF SECTION